

GOOD

4WALL

Acoustic Wall Panels Collection





Fade Acoustic Wall Panels ↙

— Content


- 01 About
- 02 Collection list
- 03 Collection overview
- 04 Technical data & colours
- 05 Installation
- 06 Collection price list

Modular acoustic wall panels combining sound absorption with modern design. Easy to install, ideal for residential and commercial interiors.

Why WallAttract?

- › Thoughtfully designed with a focus on aesthetics
- › Made from recycled PET felt
- › Modular formats & tileable patterns
- › Self-adhesive back surface
- › Create custom compositions — your wall, your rules
- › Meets sustainability and quality standards






Calm



Dash



Dash Line




Vertical S




Vertical M




Vertical L




Fade




Nautical



Wiggle



Spill



Interlace




Chevron S




Chevron M



Caro M



Caro L




Ingots




Grid M




Grid L




Trellis




Slant



Diagonal S



Diagonal M



Diagonal L





➤ Calm DF-04 & Spill DF-53



Calm DF-53 ⬅

CALM

Thickness:



9 / 12 mm

Single panel size:

600 x 600 mm

600 x 1200 mm

600 x 2400 mm





➤ Dash DF-42



Dash DF-02 ➤

DASH

Thickness:



9 / 12 mm

Single panel size:

600 x 600 mm

600 x 1200 mm

600 x 2400 mm





➤ Dash Line DF-32



Dash Line DF-24 ⬅

DASH LINE

Thickness:




9 / 12 mm

Single panel size:

600 x 600 mm

600 x 1200 mm

600 x 2400 mm





➤ Vertical S/M/L DF-53



Vertical S/M/L DF-57 ◀

VERTICAL S

Thickness:




9 / 12 mm

Single panel size:

600 x 600 mm 600

x 1200 mm 600 x

2400 mm





➤ Vertical M/L DF-08, DF-15



Vertical S/M/L DF-07 ◀

VERTICAL M

Thickness:



9 / 12 mm


Single panel size:

600 x 600 mm


600 x 1200 mm

600 x 2400 mm





➤ Vertical S/M/L DF-53



Vertical L DF-16 ⬅

VERTICAL L

Thickness:



9 / 12 mm

Single panel size:

600 x 600 mm 600

x 1200 mm 600 x

2400 mm





➤ Fade DF-19



Fade DF-08 ◀




FADE

Thickness:

9 / 12 mm

Single panel size:

600 x 1200 mm





➤ Nautical DF-57



Nautical DF-04 ↗




NAUTICAL

Thickness:

9 / 12 mm

Single panel size:

600 x 600 mm 600
x 1200 mm 600 x
2400 mm





↗ Wiggle DF-07



Wiggle DF-07 ↖

WIGGLE

Thickness:



9 / 12 mm

Single panel size:

600 x 600 mm

600 x 1200 mm

600 x 2400 mm





➤ Spill DF-58



Spill DF-19 ◀

SPILL




Thickness:

9 / 12 mm

Single panel size:


600 x 1200 mm

Pattern includes 4 types of tiles,
each in equal quantity.





➤ Interlace DF-08



Interlace DF-07 ◀

INTERLACE


Thickness:

9 / 12 mm

Single panel size:

600 x 1200 mm 600 x 2400 mm

Pattern includes 2 types of tiles,
each in equal quantity.





➤ Chevron S DF-58



Chevron S DF-16 ↗

CHEVRON S

Thickness:



9 / 12 mm

Single panel size:

600 x 600 mm


600 x 1200 mm

600 x 2400 mm





➤ Chevron M DF-23



Chevron M DF-23 ↗

CHEVRON M

Thickness:


9 / 12 mm

Single panel size:

600 x 600 mm

600 x 1200 mm

600 x 2400 mm





➤ Caro M/L DF-07



Caro M/L DF-15 ⤵

CARO M

Thickness:


9 / 12 mm

Single panel size:

600 x 600 mm


600 x 1200 mm

600 x 2400 mm





➤ Caro M/L DF-32



Caro L DF-18 ↗

CARO L

Thickness:



9 / 12 mm

Single panel size:

600 x 600 mm

600 x 1200 mm

600 x 2400 mm





➤ Ingots DF-08



Ingots DF-02 ◀

INGOTS

Thickness:



9 / 12 mm

Single panel size:

600 x 600 mm


600 x 1200 mm

600 x 2400 mm





➤ Grid M/L DF-04



Grid M/L DF-57 ◀

GRID M

Thickness:




9 / 12 mm

Single panel size:

600 x 600 mm

600 x 1200 mm

600 x 2400 mm





➤ Grid L DF-08



Grid M/L DF-08 ⬅

GRID L

Thickness:



9 / 12 mm


Single panel size:

600 x 600 mm 600

x 1200 mm 600 x

2400 mm





➤ Trellis DF-32



Trellis DF-42 ⬅

TRELLIS



Thickness:

9 / 12 mm

Single panel size:

600 x 1200 mm

600 x 2400 mm





➤ Slant DF-58



Slant DF-31 ◀

SLANT


Thickness:

9 / 12 mm

Single panel size:

600 x 600 mm

Pattern includes 4 types of tiles,
each in equal quantity.





➤ Diagonal S/M/L DF-42



Diagonal S/M/L DF-18 ◀




DIAGONAL S


Thickness:

9 / 12 mm

Single panel size:

600 x 600 mm





➤ Diagonal S/M/L DF-31



Diagonal S/M/L DF-19 ◀


DIAGONAL M

Thickness:

9 / 12 mm


Single panel size:

600 x 600 mm





➤ Diagonal S/M/L DF-04



Diagonal S/M/L DF-57 ◀



DIAGONAL L

Thickness:

9 / 12 mm

Single panel size:

600 x 600 mm



Technical data

Size and quantity 600 x 600 – 16 panels 600 x 1200 – 8 panels
 600 x 2400 – 4 panels 5,76 m2 9 mm – 1900
 g/m2 12 mm – 2400 g/m2 100% PET (60%

Coverage per set from recycled plastic bottles) Optional glue

Thickness & density (self-adhesive back surface)

Material

Installation

Product features



recyclable



VOC free



acoustical



ventilated




insulated



easy to cut



light weight



self-adhesive




shatterproof




buffered

Colours


Available in 18 curated colours that harmonize beautifully in any setting. Mix and match colors and patterns to create a truly unique space.




DF-01 DF-02 DF-03 DF-07 DF-24



DF-53 DF-04 DF-58 DF-57 DF-31



DF-18 DF-19 DF-23 DF-42 DF-32



DF-08 DF-15 DF-16

Acoustic Wall Panels Collection



piotr@good4wall.com
good4wall.com
tel: 602 134 502

Please note that the actual appearance of felt products may differ or vary slightly from the images shown in the catalog. This is because each type and batch of felt and fabric has its own unique characteristics. We view this as an advantage for each product is unique and unrepeatable. Keep in mind that the colors of PET, felts, and fabrics may vary slightly from what you see in the catalog. For the most accurate representation, we recommend referring to our sample book or sample individually sent.

Due to the production process of both fiber and PET felt, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET panels have distinct left and right sides so always try to present only one side of the sheet. Due to the manufacturing process, the felt board may show differences in shade depending on the direction of laying. We recommend laying all pieces in one direction to avoid undesirable visual effects. This is particularly important to consider when installing larger structures, such as wall-mounted panels or acoustic drop ceiling.

© 2025
All Rights Reserved

